

# **L'AIGUISEUR x2**

Téléshopping réf. : 004290

# **BAVARIAN EDGE x2**

Supplier ref. : 12352

TELESHOPPING' specifications

Please ensure all markings are notified in this document,  
and that no other marking will be stuck nor printed on the products  
or packing,  
unless checked and approved by TELES SHOPPING

Any marking in English must be submitted to TELES SHOPPING for  
translation and approval

Thank you

# Logistical data

- Product**

		Tolerance
Net Weight	342 g each	0.1 kg
Dimensions	12 x 7.7 x 16.2 cm	

- Mail order box** [Dimensions Minimum: 23x16x3cm]

		Tolerance
Qty per MO Box	1 pc (= 1 set of 2 Bavarian Edge)	/
Net Weight	684 kg	0.5 kg
Gross Weight	874 kg	0.5 kg
Dimensions	23 x 16 x 15.6 cm	1 cm

- Master carton** [Easily handled manually & Max weight : 25kgs]

		Tolerance
Qty per master carton	6 pcs (= 6 sets of 2 Bavarian Edge)	/
Net Weight	4.1 kg	0.5 kg
Gross Weight	5.6 kg	0.5 kg
Dimensions	50 x 24.5 x 33.2 cm	1 cm

- Loading quantities – FOB Shenzhen**

20'	4158 sets (= 693 master cartons)
40'	8532 sets (= 1422 master cartons)
40 HQ	9780 sets (=1630 master cartons)
MOQ <i>of the 1st order</i>	No MOQ requirement. If order quantity < 1000 pces => Additional costs
Rollout MOQ	

# Packaging specificities

- **Master cartons :**

- New cartons (non-recycled).
- Non-coloured
- Strong heavy kraft : Each master carton box is 5 ply and 5 mm thickness
- Cartons must be closed and sealed with adhesive clear tape under and above.

- **Mail order box:**

- New cartons (non-recycled).
- Non-coloured
- Strong heavy kraft : Each MO box is 3 ply and 3 mm thickness
- Cartons must be closed and sealed with adhesive clear tape under and above.

- **Wedge :**

Every item must be extremely well wedged into MOB in order to avoid chocks and breakages during transportation. It is the responsibility of the vendor to guarantee a suitable packing.

- **Silica gel :**

Every item must be individually packed with 1 pack of silica gel.



$\text{Si(OH)}_4$  **Silica gel** is a granular, porous form of silica made synthetically from sodium silicate. Despite the name, silica gel is a solid. **Each pack of silica gel must be dimethyl fumarate free.**

**Technical characteristics of the pack: 3 g, L x l x h: 50 x 50 x 3.5 mm, white or transparent silica gel, DMF free.**

The substance dimethyl fumarate is a white crystalline powder and has many names but can be identified by the CAS no : 624-49-7 or EINECS no 210-849-0. *Other names by which this substance maybe known are as follows: Allomaleic acid dimethyl ester, Boletic acid dimethyl ester, Transbutanediotic acid dimethyl ester, Fumaric acid dimethyl ester, Trans-1,2-ethylenedicarboxylic acid dimethyl ester*

In order to avoid any injury to the customers, the manufacturer must justify that the silica gel he uses is “dimethyl fumarate free”. This justification can be made by providing the material safety data sheet (MSDS) of the silica gel employed and a declaration letter in which is clearly indicated that the product manufactured for TEleshopping contains packs of silica gel that are dimethyl fumarate free.



# Technical data

## 1 BAVARIAN EDGE Set :



- 2 BAVARIAN EDGE Kitchen Knife Sharpener
- 1 INSTRUCTION MANUAL (French language)
- Sticker & label on the product (French language)



# Contents & Accessories

Components	Qty	Picture	Material	Dimensions (L x W x H)
Bavarian Edge Kitchen Knife Sharpener	2		<p>Main unit : ABS</p> <p>Spring-action arms : PA66+20%GF</p> <p>Hard metal sharpener : tungsten steel</p>	12 x 7.7 x 16.2 cm
IM	1	 <p><b>FR</b></p> <p><b>BAVARIAN EDGE™</b> L'aiguiser ultraperformant</p> <p>INFORMATIONS DE SECURITE IMPORTANTES, LIRE ET SUIVRE TOUTES LES RECOMMANDATIONS AVANT D'UTILISER CE PRODUIT. UN MAUVAIS USAGE PEUT ENTRAINER DES BLESSURES. CONSERVER LA NOTICE.</p> <p><b>ATTENTION</b></p> <ul style="list-style-type: none"> <li>• Tenir hors de portée des enfants.</li> <li>• Afin d'éviter les blessures, soyez vigilant en manipulant les couteaux.</li> <li>• Utilisez le produit uniquement sur des surfaces plates et sèches.</li> <li>• Ne pas enfoncer la lame trop violemment sur l'aiguiser Bavarian Edge™.</li> </ul> <p><b>AVERTISSEMENTS</b></p> <ul style="list-style-type: none"> <li>• Avant utilisation, assurez-vous que votre surface de travail est propre, sèche et plane. Restez toujours vigilant lorsque vous manipulez des couteaux. Les couteaux aiguisés, comme les couteaux usés, peuvent causer des blessures graves. Tenez toujours vos doigts et autres parties du corps, éloignés des lames du Bavarian Edge™. Veillez à toujours les nettoyer avant et après utilisation. Ce produit ne convient pas pour les couteaux avec une lame en céramique.</li> <li>• Poussez vos doigts sur la lame pour la tester avant d'entraîner des coupures et des blessures. Afin de savoir si votre couteau est aiguisé, testez-le sur une feuille de papier par exemple. Ne laissez pas vos doigts.</li> <li>• Éloignez vos doigts lorsque vous utilisez l'appareil. Manipulez les lames aiguisées avec précaution afin de ne pas vous couper ou vous blesser.</li> </ul> <p>LE VISUEL DU PRODUIT PEUT VARIER</p>	<p>Paper, 80g/m<sup>2</sup> at least</p>	<p><b>Size:</b> 249X174mm</p> <p><b>Total pages:</b> 4</p> <p><b>Printing:</b> double side</p> <p><b>Color:</b> black &amp; white</p>

# Contents & Accessories

Components	Qty	Picture	Material	Dimensions (L x W x H)
Hang tag	1		paper: 250g double coated art paper	<b>Size: 76 x 38 mm</b> <b>Color: Black and yellow</b>
STICKER	1		Paper	<b>Size: 70 x 59 mm</b> <b>Color: Black and Yellow</b>

# Focus on the product (1/2)

Face



Back




Under view



4 antislip pads




# Focus on the product (2/2)




two independent  
spring-action arms

hard metal  
sharpener on each  
arm



# Hang tag

attached to the product – back side




# Sticker

stuck under the product

Place this label **on the bottom of the unit**.

Make sure the label is placed in the same direction as shown in the image. This is to make sure when the unit is facing the consumer, the artwork is in the correct direction.



Colors for printing :

Yellow PMS109

Pure Black

# Instruction manual

**Total page:** 4 pages (1 pce of paper size 249x174 mm folded) - **Printing:** double side **Color :** Black and White

First page

FR



L'aigiseur ultraperformant

**INFORMATIONS DE SECURITE IMPORTANTES, LIRE ET SUIVRE TOUTES LES RECOMMANDATIONS AVANT D'UTILISER CE PRODUIT. UN MAUVAIS USAGE PEUT ENTRAÎNER DES BLESSURES. CONSERVER LA NOTICE.**



## ATTENTION

- Tenir hors de portée des enfants.
- Afin d'éviter les blessures, soyez vigilant en manipulant les couteaux.
- Utilisez le produit uniquement sur des surfaces plates et sèches.
- Ne pas enfoncer la lame trop violemment sur l'aigiseur Bavarian Edge™.



## AVERTISSEMENTS

- Avant utilisation, assurez-vous que votre surface de travail est propre, sèche et plate. Restez toujours vigilant lorsque vous manipulez des couteaux. Les couteaux aiguisés, comme les couteaux usés, peuvent causer des blessures graves. Tenez toujours vos doigts et autres parties du corps, éloignés des lames du Bavarian Edge™. Veillez à toujours les nettoyer avant et après utilisation. Ce produit ne convient pas pour les couteaux avec une lame en céramique.
- Passez vos doigts sur la lame pour la tester peut entraîner des coupures et des blessures. Afin de savoir si votre couteau est aiguisé, testez-le sur une feuille de papier par exemple. N'utilisez pas vos doigts.
- Eloignez vos doigts lorsque vous utilisez l'appareil. Manipulez les lames aiguisées avec précaution afin de ne pas vous couper ou vous blesser.

LE VISUEL DU PRODUIT PEUT VARIER

1/4

Last Update : 17/04/2019

Last page

Version :  
V160419

V160419

Importé par EZ TRADING  
91, rue du Faubourg Saint Honoré  
75008 PARIS France  
Fabriqué en Chine



4/4

004290\_L'Aigiseur x2\_Bavarian Edge x2\_12352

12/19

# Traceability

**Position :** printed on the yellow label stuck under the product

**Traceability :** XXXX/N/YYYY

The traceability has this form :

XXXX= 4 figures of the PO number

N= Shipment number, 1 for first shipment, 2 for second shipment...


If only one shipment then N=1

YYYY= Year of manufacturing




# Triman Logo


Dimensions minimum:



Perimeter of protection:



Only for the label and if it's not possible to keep the minimum dimensions above:



Minimum height of capital letters = 0.5 cm:




# Barcode

Barcode : 3 700 270 959 790

- Position of the barcode

The barcode should be stuck or printed on MOB.



- General characteristics *(if a sticker is used, all the points in accordance. If printed, no need of the points 4, 5 & 8)*

- |    |                               |   |                                 |
|----|-------------------------------|---|---------------------------------|
| 1) | Barcode characteristics       | : | EAN 13: Based on a 13 coding    |
| 2) | Module of the code            | : | 0.35mm                          |
| 3) | Minimum height of the bars    | : | 35mm                            |
| 4) | White zone before code        | : | more than 6mm                   |
| 5) | White zone after code         | : | more than 6 mm                  |
| 6) | Print type                    | : | 'Thermal transfer' or 'Thermal' |
| 7) | Color of bars                 | : | Black                           |
| 8) | Color of background and space | : | Printed directly on the MOB     |
| 9) | Print quality                 | : | scannable                       |

**CAUTION:**

Please make sure the barcode is readable (= scannable) as during inspections, the legibility of the barcodes shall be checked.

Note : Should you need further explanation, please contact EAN international or TELES SHOPPING Team.



# Way of Packing






# Master Carton Markings

## SHIPPING MARKS

EZ TRADING  
ORDER NUMBER: XXXX /N  
*XXXX : Order number with 4 figures*  
*N: Shipment number*  
REF NUMBER: 004290  
QTY: 6 PCS  
C/N° : XX / XX  
MADE IN CHINA



CARTONS  
ET EMBALLAGE  
PAPIER À TRIER



## SIDE MARKS:

REF NUMBER: 004290  
QTY: 6 PCS  
N.W.: 4.1 kg  
G.W.: 5.6 kg  
DIMENSION:  
50 x 24.5 x 33.2 cm

**The shipping marks have to be printed on at least two opposite sides of the master carton.**  
**CAUTION: MARKING MUST BE BIG ENOUGH TO BE LEGIBLE**

- Note:
1. All Text height should be minimum 1.5 cm high and legible from 3m distance unless the carton size is too small. If carton size is too small the character height should be the maximum size that will fit on the marked surfaces while still following the marking format.
  2. C/N° : XX of XX means carton number / carton quantity, I/E: if total quantity is 1000 cartons, each carton marking should be 1 of 1000, 2 of 1000, 3 of 1000 etc. to reflect from carton #1 -#1000.

# Mail Order Box Markings

## SHIPPING MARKS

EZ TRADING  
ORDER NUMBER: XXXX/N  
REF NUMBER: 004290  
QTY: 1 PC


MADE IN CHINA



CARTONS  
ET EMBALLAGE  
PAPIER À TRIER



SHIPPING  
MARKS



SHIPPING  
MARKS



## SIDE MARKS:



**The shipping marks have to be printed on at least two opposite sides of the inner carton.**

**The side marks and barcode have to be stuck or printed on at least two opposite sides of the inner carton.**

**CAUTION: MARKING MUST BE BIG ENOUGH TO BE LEGIBLE**

Note: 1. All Text height should be minimum 1.5 cm high and legible from 3m distance unless the carton size is too small. If carton size is too small the character height should be the maximum size that will fit on the marked surfaces while still following the marking format.

# Quality inspections

- **Inspections' Types**

- PAHs (*plastic parts in touch with the skin*) by a laboratory
- FC by a laboratory (*hard metal sharpener*)
- PSI by a laboratory
- POPs & REACH (candidate list) tests by a laboratory

- **Frequency of inspections**

***First order if qty ordered  $\leq 1,000$  pcs:***

- PSI as per the checklist in attachment by a laboratory

***First order if qty ordered  $> 1,000$  pcs & from second order:***

- PAHs test : by a laboratory
- FC by a laboratory (*hard metal sharpener*)
- PSI as per the checklist in attachment by a laboratory

***POP & REACH (candidate list) once a year***